



Follow-Up Report

Women's Huron Valley Correctional Facility and Women's Huron Valley Correctional Facility - Medical, Dental, and Optical Services

Michigan Department of Corrections (MDOC)

Report Number:
471-0241-17F and
471-0301-19F

Released:
November 2022

We conducted this follow-up to determine whether MDOC, the Women's Huron Valley Correctional Facility, and the Bureau of Health Care Services had taken appropriate corrective measures in response to the three material conditions noted in our July 2017 audit report and the one material condition noted in our June 2020 audit report.

Prior Audit Information	Follow-Up Results		
	Conclusion	Finding	Agency Preliminary Response
<i>Women's Huron Valley Correctional Facility (471-0241-17)</i>			
Finding 1 - Material condition Completion of cell searches and prisoner shakedowns needs improvement. Agency agreed.	Partially complied	Material condition still exists. See Finding 1 .	Agrees
Finding 2 - Material condition Improved employee search procedures needed. Agency agreed.	Not complied	Material condition still exists. See Finding 2 .	Agrees
Finding 3 - Material condition Improved controls over tools needed. Agency agreed.	Complied	Not applicable	

Prior Audit Information	Follow-Up Results		
	Conclusion	Finding	Agency Preliminary Response
<i>Women's Huron Valley Correctional Facility - Medical, Dental, and Optical Services (471-0301-19)</i>			
Finding 1 - Material condition Improvements needed to complete timely chronic care condition healthcare assessments. Agency partially agreed.	Not complied	Material condition still exists. See <u>Finding 1</u> .	Agrees

Obtain Audit Reports

Online: audgen.michigan.gov

Phone: (517) 334-8050

Office of the Auditor General
 201 N. Washington Square, Sixth Floor
 Lansing, Michigan 48913

Doug A. Ringler, CPA, CIA
 Auditor General

Laura J. Hirst, CPA
 Deputy Auditor General